



McHenry County

Division of Transportation

16111 Nelson Road
Woodstock, IL 60098

Print Form

Submit by Email

Request for Authorization to Bid

IDOT Contractor Number: _____

Letting Date: _____

TYPE OR USE BLACK INK

SPECIAL NOTICE

Companies wishing to bid **MUST** request Authorization to Bid.

TO EXPEDITE THIS REQUEST, PLEASE PRINT LEGIBLY AND FOLLOW THE INSTRUCTIONS ON PAGE TWO.

Part A:

Companies that wish to bid on McHenry County Division of Transportation (MCDOT) projects, as the prime contractor, **must** submit a **Request for Authorization to Bid** form to MCDOT, filling in Part A. MCDOT will email an **Authorization to Bid** letter to the company within three (3) working days.

We request **Authorization to Bid** on the following projects.

Please list our Company on the **For Bid List** for the following projects (check all that apply):

<input type="checkbox"/>	_____	<input type="checkbox"/>	_____	<input type="checkbox"/>	_____	<input type="checkbox"/>	_____
<input type="checkbox"/>	_____	<input type="checkbox"/>	_____	<input type="checkbox"/>	_____	<input type="checkbox"/>	_____
<input type="checkbox"/>	_____	<input type="checkbox"/>	_____	<input type="checkbox"/>	_____	<input type="checkbox"/>	_____

MCDOT will review the request and issue an **Authorization to Bid** only on the projects checked and listed in Part A.

Part B:

Companies downloading plans and/or specifications that wish to be placed on the **Not for Bid List**, **must** submit a **Request for Authorization to Bid** form to MCDOT, filling in Part B.

Please list our Company on the **Not For Bid List** for the following items (check all that apply):

<input type="checkbox"/>	_____	<input type="checkbox"/>	_____	<input type="checkbox"/>	_____	<input type="checkbox"/>	_____
<input type="checkbox"/>	_____	<input type="checkbox"/>	_____	<input type="checkbox"/>	_____	<input type="checkbox"/>	_____
<input type="checkbox"/>	_____	<input type="checkbox"/>	_____	<input type="checkbox"/>	_____	<input type="checkbox"/>	_____

Part C:

Company Name: _____

Contact Person: _____

Company Address (*): _____

For United Parcel Delivery

City _____ State _____ Zip Code _____

Post Office Box No. (*): _____

Box No. _____ For First Class Delivery

City _____ State _____ Zip Code _____

E-Mail: _____

Phone No.: _____ Fax No.: _____

(*) Complete street address and post office box information are required.

E-mail to: MCDOTBidDocs@co.mchenry.il.us or Fax to: MCDOT at (815) 334-4989, Attn: MCDOT Bid Docs

Instructions

1. Using a computer or **Black Ink (PLEASE PRINT)** complete the MCDOT Request for Authorization to Bid form (Page 1).
2. To be placed on the **For Bid List** and request **Authorization to Bid** on specific MCDOT projects, check and include the section number(s) (☒ XX-XXXXX-XX-XX) in Part A, that apply.
3. To be placed on the **Not For Bid List**, check and include the section number(s) (☒ XX-XXXXX-XX-XX) in Part B, that apply.
4. Fill in all information in Part C.
5. **E-mail** the completed Request for Authorization to Bid form (Page 1) along with a copy of your current IDOT prequalification **Certificate of Eligibility** and **Affidavit of Availability** to MCDOTBidDocs@co.mchenry.il.us or Fax the completed Request for Authorization to Bid form (Page 1) along with a copy of your current IDOT prequalification **Certificate of Eligibility** and **Affidavit of Availability** to MCDOT at (815) 334-4989, attention MCDOT Bid Docs. Certificate not required for materials letting.
6. Requests for **Authorization to Bid** will not be processed after 4:00 p.m., three (3) calendar days preceding the published letting date as specified on form BLR 12200, Notice to Bidders, in the various project specifications.

Companies that have not received an Authorization to Bid letter within three (3) working days of submitting their request should contact MCDOT at (815) 334-4960 to check on their status.

ELECTRONIC PLANS & SPECIFICATIONS

HOW TO OBTAIN ELECTRONIC PLANS & SPECIFICATIONS?: Project plans and/or specifications may be downloaded from MCDOT's website at <http://www.co.mchenry.il.us/county-government/departments-j-z/transportation/doing-business/bid-documents>. A CD containing the plans and specifications for the project(s) may be purchased from MCDOT at a cost of \$20. Contact MCDOT at (815) 334-4960 to request a CD. Hard copies of the plans and/or specifications will be available by request for a fee. **Three (3) days advance notice is required for both requests.**

ADDENDA: Companies downloading plans and/or specifications from the internet are responsible for checking the McHenry County Division of Transportation web site (<http://www.co.mchenry.il.us/county-government/departments-j-z/transportation/doing-business/bid-documents>) for any project ADDENDA. Companies that sign up for the electronic notification will be alerted to addenda when they are published. **It is each Company's responsibility to download any addenda and include them with their proposal(s).**

WHO CAN BID?: Bids will be accepted from only those companies that request and receive written **Authorization to Bid** letter from MCDOT.

WHAT IS AUTHORIZATION TO BID?: A Company that wishes to bid on a MCDOT project, as the prime contractor, **must** submit a **Request for Authorization to Bid** form, filling in Part A and select which project(s) they wish to bid on, to MCDOT along with a copy of their IDOT prequalification **Certificate of Eligibility** and **Affidavit of Availability**. Certificate not required for Materials Lettings. MCDOT will review the request and issue an **Authorization to Bid** letter indicating which projects the Company is authorized to bid on. If a Company is not authorized to bid on a project, the **Authorization to Bid** letter will indicate the reason for denial.

WHAT MUST BE INCLUDED IN THE BID PROPOSAL: Companies do not need to return the entire bid package when submitting a bid proposal. The following documents must be included in the bid proposal:

FOR CONTRACT PROPOSAL:

- Local Public Agency Formal Contract Proposal (BLR 12200)
- Schedule of Prices (BLR 12200a) (**Note: Written bid will not be accepted and will be subject to rejection of bid.**)
- Local Agency Proposal Bid Bond (BLR 12230)
- Apprenticeship or Training Program Certification (BLR 12325) [If included in the bid package]
- Affidavit of Illinois Business Office (BLR 12326)
- Affidavit of Availability (BC 57)

FOR MATERIAL PROPOSAL:

- Local Public Agency Material Proposal or Deliver & Install Proposal (BLR 12240)
- Material Proposal Schedule of Prices (BLR 12241)

All proposal documents, including the Proposal Guaranty Checks or Proposal Bid Bonds, should be stapled together to prevent loss.

MCDOT does not accept electronic bids. Signed and sealed paper copy proposals **must** be submitted.

MCDOT recommends that Companies deliver their proposals in person to insure they arrive at 16111 Nelson Road, Woodstock, Illinois 60098, prior to the time specified on form BLR 12200, under Notice to Bidders. **Any bid(s) received after the time specified on form BLR 12200 will not be accepted.**

For Assistance Contact MCDOT at 815-334-4960


**Illinois Department
of Transportation**
**Local Public Agency
Material Proposal or
Deliver & Install
Proposal**

PROPOSAL SUBMITTED BY		
Contractor's Name		
Street	P.O. Box	
City	State	Zip Code

STATE OF ILLINOIS

COUNTY OF McHenry

(Name of City, Village, Town or Road District)

FOR THE IMPROVEMENT OF

STREET NAME OR ROUTE NO. VariousSECTION NO. 19-00000-06-GMTYPES OF FUNDS NON-MFT

- ☒ MATERIAL PROPOSAL
☒ SPECIFICATIONS (required)

- ☐ DELIVER & INSTALL PROPOSAL
☐ PLANS (if applicable)

For Municipal Projects

Submitted/Approved/Passed

☐ Mayor ☐ President of Board of Trustees ☐ Municipal Official

Date

Department of Transportation

- ☒
- Released for bid based on limited review

Regional Engineer

March 1, 2019

Date

For County and Road District Projects

Submitted/Approved

Highway Commissioner

Date

Submitted/Approved

County Engineer/Superintendent of Highways

March 1, 2019

Date

County Engineer
 On behalf of IDOT pursuant to Agreement
 of Understanding dated March 4, 2005

Note: All proposal documents, including Proposal Guaranty Checks or Proposal Bid Bonds, should be stapled together to prevent loss when bids are processed.

RETURN WITH BID

NOTICE TO BIDDERS

County McHenry
 Local Public Agency McHenry County
 Section Number 19-00000-06-GM
 Route Various

Sealed proposals for the furnishing or delivering & installing materials required in the construction/maintenance of the above Section will be received and at that time publicly opened and read at the office of Division of Transportation,

16111 Nelson Road Woodstock, IL 60098

Address

until 10:00 AM

Time

on April 9, 2019

Date

1. Plans and proposal forms will be available in the office of McHenry County Division of Transportation
https://www.mchenrycountyil.gov/county-government/departments-j-z/transportation/doing-business/bid-documents
 Address
2. ☐ Prequalification. If checked, the 2 low bidders must file within 24 hours after the letting an "Affidavit of Availability" (Form BC 57), in duplicate, showing all uncompleted contracts awarded to them and all low bids pending award for Federal, State, County, Municipal and private work.
3. The Awarding Authority reserves the right to waive technicalities and to reject any or all proposals as provided in BLRS Special Provision for Bidding Requirements and Conditions for Material Proposals.
4. A proposal guaranty in the proper amount, as specified in BLRS Special Provision for Bidding Requirements and Conditions for Material Proposals, will be required. Bid Bonds will be allowed as a proposal guaranty.
5. The successful bidder at the time of execution of the contract will not be required to deposit a contract bond for the full amount of the award. When a contract bond is not required, the proposal guaranty check will be held in lieu thereof. Failure on the part of the contractor to deliver the material within the time specified or to do the work specified herein will be considered just cause to forfeit his surety as provided in Article 108.10 of the Standard Specifications.
6. Proposals shall be submitted on forms furnished by the Awarding Authority and shall be enclosed in an envelope endorsed "Material Proposal, Section 19-00000-06-GM".

By Order of McHenry County Board
 (Awarding Authority)

March 1, 2019
 Date

Joseph R. Korpalski, Jr, P.E.
 (County Engineer/Superintendent of Highways/Municipal Clerk)

Material Proposal or Deliver & Install Proposal

To McHenry County Board
 (Awarding Authority)

If this bid is accepted within 45 days from date of opening, the undersigned agrees to furnish or to deliver & install any or all of the materials, at the quoted unit prices, subject to the following:

1. It is understood and agreed that the "Standard Specifications for Road and Bridge Construction", adopted April 1, 2016, and the "Supplemental Specifications and Recurring Special Provisions", adopted January 1, 2019, prepared by the Department of Transportation, shall govern insofar as they may be applied and insofar as they do not conflict with the special provisions and supplemental specifications attached hereto.
2. It is understood that quantities listed are approximate only and that they may be increased or decreased as may be needed to properly complete the improvement within its present limits or extensions thereto, at the unit price stated and that bids will be compared on the basis of the total price bid for each group.
3. Delivery in total or partial shipments as ordered shall be made within the time specified in the special provisions or by the acceptance at the point and in the manner specified in the "Schedule of Prices". If delivery on the job site is specified, it shall mean any place or places on the road designated by the awarding authority or its authorized representative.
4. The contractor and/or local agency performing the actual material placement operations shall be responsible for providing work zone traffic control, unless otherwise specified in this proposal. Such devices shall meet the requirements of and be installed in accordance with applicable provisions of the "Illinois Manual on Uniform Traffic Control Devices" and any referenced Illinois Highway Standards.
5. Each pay item should have a unit price and a total price. If no total price is shown or if there is a discrepancy between the product of the unit price multiplied by the quantity, the unit price shall govern. If a unit price is omitted, the total price will be divided by the quantity in order to establish a unit price. A bid will be declared unacceptable if neither a unit price nor a total price is shown.

Discounts will be allowed for payment as follows: _____ % _____ calendar days: _____ % _____ calendar days.

Discounts will not be considered in determining the low bidder.

Bidder _____

By _____
 (Signature)

Address _____

Title _____



**Check Sheet For Recurring
Special Provisions**



The Following Recurring Special Provisions Indicated By An "X" Are Applicable To This Contract And Are Included By Reference:

Recurring Special Provisions

<u>Check Sheet #</u>		<u>Page No.</u>
1	<input type="checkbox"/> Additional State Requirements for Federal-Aid Construction Contracts	75
2	<input type="checkbox"/> Subletting of Contracts (Federal-Aid Contracts)	78
3	<input type="checkbox"/> EEO	79
4	<input type="checkbox"/> Specific EEO Responsibilities Non Federal-Aid Contracts	89
5	<input type="checkbox"/> Required Provisions - State Contracts	94
6	<input type="checkbox"/> Asbestos Bearing Pad Removal	100
7	<input type="checkbox"/> Asbestos Waterproofing Membrane and Asbestos HMA Surface Removal	101
8	<input type="checkbox"/> Temporary Stream Crossings and In-Stream Work Pads	102
9	<input type="checkbox"/> Construction Layout Stakes Except for Bridges	103
10	<input type="checkbox"/> Construction Layout Stakes	106
11	<input type="checkbox"/> Use of Geotextile Fabric for Railroad Crossing	109
12	<input type="checkbox"/> Subsealing of Concrete Pavements	111
13	<input type="checkbox"/> Hot-Mix Asphalt Surface Correction	115
14	<input type="checkbox"/> Pavement and Shoulder Resurfacing	117
15	<input type="checkbox"/> Patching with Hot-Mix Asphalt Overlay Removal	118
16	<input type="checkbox"/> Polymer Concrete	120
17	<input type="checkbox"/> PVC Pipeliner	122
18	<input type="checkbox"/> Bicycle Racks	123
19	<input type="checkbox"/> Temporary Portable Bridge Traffic Signals	125
20	<input type="checkbox"/> Work Zone Public Information Signs	127
21	<input type="checkbox"/> Nighttime Inspection of Roadway Lighting	128
22	<input type="checkbox"/> English Substitution of Metric Bolts	129
23	<input type="checkbox"/> Calcium Chloride Accelerator for Portland Cement Concrete	130
24	<input type="checkbox"/> Quality Control of Concrete Mixtures at the Plant	131
25	<input type="checkbox"/> Quality Control/Quality Assurance of Concrete Mixtures	139
26	<input type="checkbox"/> Digital Terrain Modeling for Earthwork Calculations	155
27	<input type="checkbox"/> Reserved	157
28	<input type="checkbox"/> Preventive Maintenance - Bituminous Surface Treatment	158
29	<input type="checkbox"/> Reserved	164
30	<input type="checkbox"/> Reserved	165
31	<input type="checkbox"/> Reserved	166
32	<input type="checkbox"/> Temporary Raised Pavement Markers	167
33	<input type="checkbox"/> Restoring Bridge Approach Pavements Using High-Density Foam	168
34	<input type="checkbox"/> Portland Cement Concrete Inlay or Overlay	171
35	<input type="checkbox"/> Portland Cement Concrete Partial Depth Hot-Mix Asphalt Patching	175

The Following Local Roads And Streets Recurring Special Provisions Indicated By An "X" Are Applicable To This Contract And Are Included By Reference:

Local Roads And Streets Recurring Special Provisions

<u>Check Sheet #</u>		<u>Page No.</u>
LRS 1	Reserved	179
LRS 2	<input type="checkbox"/> Furnished Excavation	180
LRS 3	<input type="checkbox"/> Work Zone Traffic Control Surveillance	181
LRS 4	<input type="checkbox"/> Flaggers in Work Zones	182
LRS 5	<input type="checkbox"/> Contract Claims	183
LRS 6	<input type="checkbox"/> Bidding Requirements and Conditions for Contract Proposals	184
LRS 7	<input checked="" type="checkbox"/> Bidding Requirements and Conditions for Material Proposals	190
LRS 8	Reserved	196
LRS 9	<input type="checkbox"/> Bituminous Surface Treatments	197
LRS 10	Reserved	198
LRS 11	<input checked="" type="checkbox"/> Employment Practices	199
LRS 12	<input checked="" type="checkbox"/> Wages of Employees on Public Works	201
LRS 13	<input checked="" type="checkbox"/> Selection of Labor	203
LRS 14	<input type="checkbox"/> Paving Brick and Concrete Paver Pavements and Sidewalks	204
LRS 15	<input type="checkbox"/> Partial Payments	207
LRS 16	<input type="checkbox"/> Protests on Local Lettings	208
LRS 17	<input type="checkbox"/> Substance Abuse Prevention Program	209
LRS 18	<input type="checkbox"/> Multigrade Cold Mix Asphalt	210

CHECK SHEET #LRS7

State of Illinois
Department of Transportation
Bureau of Local Roads and Streets

SPECIAL PROVISION FOR BIDDING REQUIREMENTS AND CONDITIONS FOR MATERIAL PROPOSALS

Effective: January 1, 2002

Revised: January 1, 2013

Replace Article 102.01 of the Standard Specifications with the following:

"Prequalification of Bidders. When prequalification is required and the awarding authority for contract construction work is the County Board of a County, the Council, the City Council, or the President and Board of Trustees of a city, village, or town, each prospective bidder, in evidence of competence, shall furnish the awarding authority as a prerequisite to the release of proposal forms by the awarding authority, a certified or photostatic copy of a "Certificate of Eligibility" issued by the Department of Transportation, in accordance with the Department's "Prequalification Manual".

The two low bidders must file, within 24 hours after the letting, a sworn affidavit in triplicate, showing all uncompleted contracts awarded to them and all low bids pending award for Federal, State, County, Municipal and private work, using the blank form made available for this affidavit. One copy shall be filed with the awarding authority and two copies with the District office.

Issuance of Proposal Forms. The Awarding Authority reserves the right to refuse to issue a proposal form for bidding purposes for any of the following reasons:

- (a) Lack of competency and adequate machinery, plant, and other equipment, as revealed by the financial statement and experience questionnaires required in prequalification procedures.
- (b) Uncompleted work which, in the judgment of the Awarding Authority, might hinder or prevent the prompt completion of additional work awarded.
- (c) False information provided on a bidder's "Affidavit of Availability".
- (d) Failure to pay, or satisfactorily settle, all bills due for labor and material on former contracts in force at the time of issuance of proposal forms.
- (e) Failure to comply with any prequalification regulations of the Department.
- (f) Default under previous contracts.
- (g) Unsatisfactory performance record as shown by past work for the Awarding Authority, judged from the standpoint of workmanship and progress.
- (h) When the Contractor is suspended from eligibility to bid at a public letting where the contract is awarded by, or requires approval of, the Department.

- (i) When any agent, servant, or employee of the prospective bidder currently serves as a member, employee, or agent of a governmental body that is financially involved in the proposal work.
- (j) When any agent, servant, or employee of the perspective bidder has participated in the preparation of plans or specifications for the proposed work.

Interpretation of Quantities in the Bid Schedule. The quantities appearing in the bid schedule are approximate and are prepared for the comparison of bids. Payment to the Contractor will be made only for the actual quantities of work performed and accepted or materials furnished according to the contract. The scheduled quantities of work to be done and materials to be furnished may be increased, decreased or omitted as hereinafter provided.

Examination of Material Proposal, Specifications, Special Provisions, and Site of Work. The bidder shall, before submitting a bid, carefully examine the provisions of the proposal. The bidder shall inspect in detail the site of the proposed work, investigate and become familiar with all the local conditions affecting the work and fully acquaint themselves with the detailed requirements of the work. Submission of a bid shall be a conclusive assurance and warranty the bidder has made these examinations and the bidder understands all requirements for the performance of the work. If his/her bid is accepted, the bidder will be responsible for all errors in the proposal resulting from his/her failure or neglect to comply with these instructions. The Awarding Authority will, in no case, be responsible for any costs, expenses, losses, or change in anticipated profits resulting from such failure or neglect of the bidder to make these examinations.

The bidder shall take no advantage of any error or omission in the proposal. Any prospective bidder who desires an explanation or interpretation of the specification, or any of the documents, shall request such in writing from the Awarding Authority, in sufficient time to allow a written reply by the Awarding Authority that can reach all prospective bidders before the submission of their bids. Any reply given a prospective bidder concerning any of the documents and specifications will be furnished to all prospective bidders in the form determined by the Awarding Authority including, but not limited to, an addendum, if the information is deemed by the Awarding Authority to be necessary in submitting bids or if the Awarding Authority concludes the information would aid competition. Oral explanations, interpretations or instructions given before the submission of bids unless at a prebid conference will not be binding on the Awarding Authority.

Preparation of the Proposal. Bidders shall submit their proposals on the form furnished by the Awarding Authority. The proposal shall be executed properly, and bids shall be made for all items indicated in the proposal form, except when alternate bids are asked, a bid on more than one alternate for each item is not required, unless otherwise provided. The bidder shall indicate in figures, a unit price for each of the separate items called for in the proposal form; the bidder shall show the products of the respective quantities and unit prices in the column provided for that purpose, and the gross sum shown in the place indicated in the proposal form shall be the summation of said products. All writing shall be with ink or typewriter, except the signature of the bidder which shall be written in ink.

CHECK SHEET #LRS7

When prequalification is required, the proposal form shall be submitted by an authorized bidder in the same name and style as shown on the "Contractor's Statement of Experience and Financial Condition" used for prequalification and shall be submitted in like manner.

Rejection of Proposals. The Awarding Authority reserves the right to reject any proposal for any of the conditions in "Issuance of Proposal Forms" or for any of the following reasons:

- (a) More than one proposal for the same work from an individual, firm, partnership, or corporation under the same name or different names.
- (b) Evidence of collusion among bidders.
- (c) Unbalanced proposals in which the bid prices for some items are, in the judgment of the Awarding Authority, out of proportion to the bid prices for other items.
- (d) If the proposal does not contain a unit price for each pay item listed, except in the case of authorized alternate pay items or lump sum pay items.
- (e) If the proposal form is other than that furnished by the Awarding Authority; or if the form is altered or any part thereof is detached.
- (f) If there are omissions, erasures, alterations, unauthorized additions, conditional or alternate bids, or irregularities of any kind which may tend to make the proposal incomplete, indefinite or ambiguous as to its meaning.
- (g) If the bidder adds any provisions reserving the right to accept or reject an award, or to enter into a contract pursuant to an award.
- (i) If the proposal is not accompanied by the proper proposal guaranty.
- (i) If the proposal is prepared with other than ink or typewriter, or otherwise fails to meet the requirements of the above "Preparation of Proposal" section.

Proposal Guaranty. Each proposal shall be accompanied by a bid bond on the Department form contained in the proposal, executed by a corporate surety company satisfactory to the Awarding Authority, by a bank cashier's check or a properly certified check for not less than five percent of the amount bid, or for the amount specified in the following schedule:

CHECK SHEET #LRS7

Amount Bid		Proposal Guaranty
Up to	\$5,000	\$150
>\$5,000	\$10,000	\$300
>\$10,000	\$50,000	\$1,000
>\$50,000	\$100,000	\$3,000
>\$100,000	\$150,000	\$5,000
>\$150,000	\$250,000	\$7,500
>\$250,000	\$500,000	\$12,500
>\$500,000	\$1,000,000	\$25,000
>\$1,000,000	\$1,500,000	\$50,000
>\$1,500,000	\$2,000,000	\$75,000
>\$2,000,000	\$3,000,000	\$100,000
>\$3,000,000	\$5,000,000	\$150,000
>\$5,000,000	\$7,500,000	\$250,000
>\$7,500,000	\$10,000,000	\$400,000
>\$10,000,000	\$15,000,000	\$500,000
>\$15,000,000	\$20,000,000	\$600,000
>\$20,000,000	\$25,000,000	\$700,000
>\$25,000,000	\$30,000,000	\$800,000
>\$30,000,000	\$35,000,000	\$900,000
Over	\$35,000,000	\$1,000,000

In the event that one proposal guaranty check is intended to cover two or more proposals, the amount must equal to the sum of the proposal guaranties which would be required for each individual proposal.

Bank cashier's checks or properly certified checks accompanying proposals shall be made payable to the County Treasurer, when a County is the awarding authority; or the City, Village, or Town Treasurer, when a city, village, or town is the awarding authority.

If this proposal contains various groups and the bidder has the option of bidding on one or several groups, the bidder may provide a separate proposal guaranty for each group or combination of groups in lieu of a single proposal guaranty to cover the amount bid for the entire proposal. Each proposal guaranty shall identify the groups covered by the individual proposal guaranty. In the event that one proposal guaranty check is intended to cover two or more groups, the amount must be equal to the sum of the proposal guaranties which would be required for each individual group.

The proposal guaranty checks of all, except the two lowest responsible, will be returned promptly after the proposals have been checked, tabulated, and the relation of the proposals established. Proposal guaranty checks of the two lowest bidders will be returned as soon as the contract and contract bond of the successful bidder have been properly executed and approved. If a contract bond is not required, the proposal guaranty check will be held in lieu thereof. Bid bonds will not be returned.

The awarding authority may deny the use of a bid bond as a proposal guaranty but may not further restrict the proposal guaranty. The Notice of Material Letting will state whether a bid bond is allowed.

CHECK SHEET #LRS7

Delivery of Proposals. If a special envelope is supplied by the Awarding Authority, each proposal should be submitted in that envelope furnished by the Awarding Authority and the blank spaces on the envelope shall be filled in correctly to clearly indicate its contents. When an envelope other than the special one furnished by the Awarding Authority is used, it shall be marked to clearly indicate its contents. When sent by mail, the sealed proposal shall be addressed to the Awarding Authority at the address and in care of the official in whose office the bids are to be received. All proposals shall be filed prior to the time and at the place specified in the Notice to Bidders. Proposals received after the time specified will be returned to the bidder unopened.

Withdrawal of Proposals. Permission will be given a bidder to withdraw a proposal if the bidder makes the request in writing or in person before the time for opening proposals.

Public Opening of Proposals. Proposals will be opened and read publicly at the time and place specified in the Notice to Bidders. Bidders, their authorized agents and other interested parties are invited to be present.

Consideration of Proposals. After the proposals are opened and read, they will be compared on the basis of the summation of the products of the quantities shown in the bid schedule by the unit bid prices. In the event of a discrepancy between unit bid prices and extensions, the unit bid price shall govern. In awarding the supply of materials, the Awarding Authority will, in addition to considering the amounts stated in the proposals, take into consideration the responsibility of the various bidders as determined from a study of the data required under "Prequalification of Bidders", and from other investigations which it may elect to make.

The right is reserved to reject any or all proposals, to waive technicalities or to advertise for new proposals, if in the judgment of the Awarding Authority, the best interests of the Awarding Authority will be promoted thereby.

Acceptance of Proposal to Furnish Material. The award will be made within 45 calendar days after the opening of proposals to the lowest responsible and qualified bidder whose proposal complies with all the requirements prescribed. The successful bidder will be notified by letter of intent that his/her bid has been accepted, and subject to the following conditions, the bidder will be the Contractor or Supplier.

An acceptance of proposal to furnish materials executed by the Awarding Authority is required before the Awarding Authority is bound. An award may be cancelled any time by the Awarding Authority prior to execution in order to protect the public interest and integrity of the bidding process or for any other reason if, in the judgment of the Awarding Authority, the best interests of the Awarding Authority will be promoted thereby.

If a material proposal is not awarded within 45 days after the opening of proposals, bidders may file a written request with the Awarding Authority for the withdrawal of their bid, and the Awarding Authority will permit such withdrawal.

Requirement of Contract Bond. If the Awarding Authority requires a Contract Bond, the Contractor or Supplier shall furnish the Awarding Authority a performance and payment bond with good and sufficient sureties in the full amount of the award as

CHECK SHEET #LRS7

the penal sum. The surety shall be acceptable to the Awarding Authority, shall waive notice of any changes and extensions of time, and shall submit its bond on the form furnished by the Awarding Authority.

The contract bond shall be returned within 15 days after the notice of award. Failure of the successful bidder to execute and file acceptable bonds within 15 days after the notice of award has been mailed to the bidder shall be just cause for the cancellation of the award and the forfeiture of the proposal guaranty which shall become the property of the Awarding Authority, not as penalty, but in liquidation of damages sustained. Award may then be made to the next lowest responsible bidder, or the work may be readvertised, or otherwise, as the Awarding Authority may decide.

If the bidder to whom the award is made is a corporation organized under the laws of a State other than Illinois, the bidder shall furnish the Awarding Authority a copy of the corporation's Certificate of Authority to do business in the State of Illinois with the return of the contract bond. Failure to furnish such evidence of a Certificate of Authority within the time required will be considered as just cause for the annulment of the award and the forfeiture of the proposal guaranty to the Awarding Authority, not as a penalty, but in payment of liquidated damages sustained as a result of such failure.

Failure to Execute the Acceptance of Proposal to Furnish Material. If the acceptance of proposal to furnish material is not executed by the Awarding Authority within 15 days following receipt from the bidder of the properly executed bonds, the bidder shall have the right to withdraw his/her bid without penalty."

**Prevailing Wage rates for
McHenry County
effective Sept. 1, 2017**

Trade Title	Region	Type	Class	Base Wage	Fore- man Wage	M-F OT	OSA	OSH	H/W	Pension	Vacation	Training
ASBESTOS ABT-GEN	ALL	ALL		41.20	42.20	1.5	1.5	2	13.77	13.20	0.00	0.50
ASBESTOS ABT-MEC	ALL	BLD		37.88	40.38	1.5	1.5	2	12.12	11.70	0.00	0.72
BOILERMAKER	ALL	BLD		48.49	52.86	2	2	2	6.97	19.61	0.00	0.90
BRICK MASON	ALL	BLD		45.38	49.92	1.5	1.5	2	10.45	16.68	0.00	0.90
CARPENTER	ALL	ALL		46.35	48.35	1.5	1.5	2	11.79	18.88	0.00	0.63
CEMENT MASON	ALL	ALL		44.84	46.84	2	1.5	2	10.00	21.01	0.00	0.50
CERAMIC TILE FNISHER	ALL	BLD		38.56	38.56	1.5	1.5	2	10.65	11.18	0.00	0.68
COMMUNICATION TECH	ALL	BLD		38.15	40.55	1.5	1.5	2	12.18	12.77	0.00	0.67
ELECTRIC PWR EQMT OP	ALL	ALL		37.89	51.48	1.5	1.5	2	5.00	11.75	0.00	0.38
ELECTRIC PWR EQMT OP	ALL	HWY		41.45	56.38	1.5	1.5	2	5.50	12.87	0.00	0.73
ELECTRIC PWR GRNDMAN	ALL	ALL		29.30	51.48	1.5	1.5	2	5.00	9.09	0.00	0.29
ELECTRIC PWR GRNDMAN	ALL	HWY		32.00	56.38	1.5	1.5	2	5.50	9.92	0.00	0.66
ELECTRIC PWR LINEMAN	ALL	ALL		45.36	51.48	1.5	1.5	2	5.00	14.06	0.00	0.45
ELECTRIC PWR LINEMAN	ALL	HWY		49.67	56.38	1.5	1.5	2	5.50	15.40	0.00	0.88
ELECTRIC PWR TRK DRV	ALL	ALL		30.34	51.48	1.5	1.5	2	5.00	9.40	0.00	0.30
ELECTRIC PWR TRK DRV	ALL	HWY		33.14	56.38	1.5	1.5	2	5.50	10.29	0.00	0.59
ELECTRICIAN	ALL	ALL		47.29	51.69	1.5	1.5	2	14.58	15.87	0.00	0.95
ELEVATOR CONSTRUCTOR	ALL	BLD		51.94	58.43	2	2	2	14.43	14.96	4.16	0.90
FENCE ERECTOR	E	ALL		39.58	41.58	1.5	1.5	2	13.40	13.90	0.00	0.40
FENCE ERECTOR	S	ALL		45.56	49.20	2	2	2	11.02	21.51	0.00	0.70
GLAZIER	ALL	BLD		42.45	43.95	1.5	1.5	2	14.04	20.14	0.00	0.94
HT/FROST INSULATOR	ALL	BLD		50.50	53.00	1.5	1.5	2	12.12	12.96	0.00	0.72
IRON WORKER	E	ALL		47.33	49.33	2	2	2	14.15	22.39	0.00	0.35
IRON WORKER	S	ALL		45.61	49.25	2	2	2	11.52	22.65	0.00	0.81
IRON WORKER	W	ALL		38.33	44.08	2	2	2	12.27	24.57	0.00	0.60

LABORER	ALL	ALL		41.20	41.95	1.5	1.5	2	13.77	13.20	0.00	0.50
LATHER	ALL	ALL		46.35	48.35	1.5	1.5	2	11.79	18.88	0.00	0.63
MACHINIST	ALL	BLD		47.56	50.06	1.5	1.5	2	7.05	8.95	1.85	1.47
MARBLE FINISHERS	ALL	ALL		33.95	33.95	1.5	1.5	2	10.45	15.52	0.00	0.47
MARBLE MASON	ALL	BLD		44.63	49.09	1.5	1.5	2	10.45	16.28	0.00	0.59
MATERIAL TESTER I	ALL	ALL		31.20	31.20	1.5	1.5	2	13.77	13.20	0.00	0.50
MATERIALS TESTER II	ALL	ALL		36.20	36.20	1.5	1.5	2	13.77	13.20	0.00	0.50
MILLWRIGHT	ALL	ALL		46.35	48.35	1.5	1.5	2	11.79	18.88	0.00	0.63
OPERATING ENGINEER	ALL	BLD	1	50.10	54.10	2	2	2	18.80	14.35	2.00	1.30
OPERATING ENGINEER	ALL	BLD	2	48.80	54.10	2	2	2	18.80	14.35	2.00	1.30
OPERATING ENGINEER	ALL	BLD	3	46.25	54.10	2	2	2	18.80	14.35	2.00	1.30
OPERATING ENGINEER	ALL	BLD	4	44.50	54.10	2	2	2	18.80	14.35	2.00	1.30
OPERATING ENGINEER	ALL	BLD	5	53.85	54.10	2	2	2	18.80	14.35	2.00	1.30
OPERATING ENGINEER	ALL	BLD	6	51.10	54.10	2	2	2	18.80	14.35	2.00	1.30
OPERATING ENGINEER	ALL	BLD	7	53.10	54.10	2	2	2	18.80	14.35	2.00	1.30
OPERATING ENGINEER	ALL	FLT		38.00	38.00	1.5	1.5	2	18.05	13.60	1.90	1.30
OPERATING ENGINEER	ALL	HWY	1	48.30	52.30	1.5	1.5	2	18.80	14.35	2.00	1.30
OPERATING ENGINEER	ALL	HWY	2	47.75	52.30	1.5	1.5	2	18.80	14.35	2.00	1.30
OPERATING ENGINEER	ALL	HWY	3	45.70	52.30	1.5	1.5	2	18.80	14.35	2.00	1.30
OPERATING ENGINEER	ALL	HWY	4	44.30	52.30	1.5	1.5	2	18.80	14.35	2.00	1.30
OPERATING ENGINEER	ALL	HWY	5	43.10	52.30	1.5	1.5	2	18.80	14.35	2.00	1.30
OPERATING ENGINEER	ALL	HWY	6	51.30	52.30	1.5	1.5	2	18.80	14.35	2.00	1.30
OPERATING ENGINEER	ALL	HWY	7	49.30	52.30	1.5	1.5	2	18.80	14.35	2.00	1.30
ORNAMNTL IRON WORKER	E	ALL		46.75	49.25	2	2	2	13.90	19.79	0.00	0.75
ORNAMNTL IRON WORKER	S	ALL		45.06	48.66	2	2	2	10.52	20.76	0.00	0.40
PAINTER	ALL	ALL		44.18	46.18	1.5	1.5	1.5	10.30	8.20	0.00	1.35
PAINTER SIGNS	ALL	BLD		37.45	42.05	1.5	1.5	2	2.60	3.18	0.00	0.00
PILEDRIIVER	ALL	ALL		46.35	48.35	1.5	1.5	2	11.79	18.88	0.00	0.63
PIPEFITTER	ALL	BLD		47.50	50.50	1.5	1.5	2	10.05	17.85	0.00	2.12
PLASTERER	ALL	BLD		42.75	45.31	1.5	1.5	2	14.00	15.71	0.00	0.89

PLUMBER	ALL	BLD		49.25	52.20	1.5	1.5	2	14.34	13.35	0.00	1.28
ROOFER	ALL	BLD		42.30	45.30	1.5	1.5	2	9.08	12.14	0.00	0.58
SHEETMETAL WORKER	ALL	BLD		45.77	47.77	1.5	1.5	2	10.65	14.10	0.00	0.82
SIGN HANGER	ALL	BLD		26.07	27.57	1.5	1.5	2	3.80	3.55	0.00	0.00
SPRINKLER FITTER	ALL	BLD		47.20	49.20	1.5	1.5	2	12.25	11.55	0.00	0.55
STEEL ERECTOR	E	ALL		46.20	48.20	2	2	2	13.65	21.52	0.00	0.35
STEEL ERECTOR	S	ALL		45.56	49.20	2	2	2	11.02	21.51	0.00	0.70
STONE MASON	ALL	BLD		45.38	49.92	1.5	1.5	2	10.45	16.68	0.00	0.90
TERRAZZO FINISHER	ALL	BLD		40.54	40.54	1.5	1.5	2	10.65	12.76	0.00	0.73
TERRAZZO MASON	ALL	BLD		44.38	47.88	1.5	1.5	2	10.65	14.15	0.00	0.82
TILE MASON	ALL	BLD		45.49	49.49	1.5	1.5	2	10.65	13.88	0.00	0.86
TRAFFIC SAFETY WRKR	ALL	HWY		32.75	34.35	1.5	1.5	2	8.45	6.05	0.00	0.50
TRUCK DRIVER	ALL	ALL	1	37.05	37.60	1.5	1.5	2	9.00	7.50	0.00	0.15
TRUCK DRIVER	ALL	ALL	2	37.20	37.60	1.5	1.5	2	9.50	7.50	0.00	0.15
TRUCK DRIVER	ALL	ALL	3	37.40	37.60	1.5	1.5	2	9.50	7.50	0.00	0.15
TRUCK DRIVER	ALL	ALL	4	37.60	37.60	1.5	1.5	2	9.50	7.50	0.00	0.15
TUCKPOINTER	ALL	BLD		45.42	46.42	1.5	1.5	2	8.32	15.42	0.00	0.80

Legend

M-F OT Unless otherwise noted, OT pay is required for any hour greater than 8 worked each day, Mon through Fri. The number listed is the multiple of the base wage.

OSA Overtime pay required for every hour worked on Saturdays

OSH Overtime pay required for every hour worked on Sundays and Holidays

H/W Health/Welfare benefit

Explanations MCHENRY COUNTY

FENCE ERECTOR (EAST) - That part of the county East and Northeast of a line following Route 31 North to Route 14, northwest to Route 47 north to the Wisconsin State Line.

IRONWORKERS (EAST) - That part of the county East of Rts. 47 and 14.

IRONWORKERS (SOUTH) - That part of the county South of Route 14 and East of Route 47.

IRONWORKERS (WEST) - That part of the county West of Route 47.

The following list is considered as those days for which holiday rates of wages for work performed apply: New Years Day, Memorial Day, Fourth of July, Labor Day, Thanksgiving Day, Christmas Day and Veterans Day in some classifications/counties. Generally, any of these holidays which fall on a Sunday is celebrated on the following Monday. This then makes work performed on that Monday payable at the appropriate overtime rate for holiday pay. Common practice in a given local may alter certain days of celebration. If in doubt, please check with IDOL.

EXPLANATION OF CLASSES

ASBESTOS - GENERAL - removal of asbestos material/mold and hazardous materials from any place in a building, including mechanical systems where those mechanical systems are to be removed. This includes the removal of asbestos materials/mold and hazardous materials from ductwork or pipes in a building when the building is to be demolished at the time or at some close future date.

ASBESTOS - MECHANICAL - removal of asbestos material from mechanical systems, such as pipes, ducts, and boilers, where the mechanical systems are to remain.

CERAMIC TILE FINISHER

The grouting, cleaning, and polishing of all classes of tile, whether for interior or exterior purposes, all burned, glazed or unglazed products; all composition materials, granite tiles, warning detectable tiles, cement tiles, epoxy composite materials, pavers, glass, mosaics, fiberglass, and all substitute materials; for tile made in tile-like units; all mixtures in tile like form of cement, metals, and other materials that are for and intended for use as a finished floor surface, stair treads, promenade roofs, walks, walls, ceilings, swimming pools, and all other places where tile is to form a finished interior or exterior. The mixing of all setting mortars including but not limited to thin-set mortars, epoxies, wall mud, and any other sand and cement mixtures or adhesives when used in the preparation, installation, repair, or maintenance of tile and/or similar materials. The handling and unloading of all sand, cement, lime, tile, fixtures, equipment, adhesives, or any other materials to be used in the preparation, installation, repair, or maintenance of tile and/or similar materials. Ceramic Tile Finishers shall fill all joints and voids regardless of method on all tile work, particularly and especially after installation of said tile work. Application of any and all protective coverings to all types of tile installations including, but not be limited to, all soap compounds, paper products, tapes, and all polyethylene coverings, plywood, masonite, cardboard, and any new type of products that may be used to protect tile installations, Blastrac equipment, and all floor scarifying equipment

used in preparing floors to receive tile. The clean up and removal of all waste and materials. All demolition of existing tile floors and walls to be re-tiled.

COMMUNICATIONS TECHNICIAN

Construction, installation, maintenance and removal of telecommunication facilities (voice, sound, data and video), telephone, security systems, fire alarm systems that are a component of a multiplex system and share a common cable, and data inside wire, interconnect, terminal equipment, central offices, PABX and equipment, micro waves, V-SAT, bypass, CATV, WAN (wide area network), LAN (local area networks), and ISDN (integrated system digital network), pulling of wire in raceways, but not the installation of raceways.

MARBLE FINISHER

Loading and unloading trucks, distribution of all materials (all stone, sand, etc.), stocking of floors with material, performing all rigging for heavy work, the handling of all material that may be needed for the installation of such materials, building of scaffolding, polishing if needed, patching, waxing of material if damaged, pointing up, caulking, grouting and cleaning of marble, holding water on diamond or Carborundum blade or saw for setters cutting, use of tub saw or any other saw needed for preparation of material, drilling of holes for wires that anchor material set by setters, mixing up of molding plaster for installation of material, mixing up thin set for the installation of material, mixing up of sand to cement for the installation of material and such other work as may be required in helping a Marble Setter in the handling of all material in the erection or installation of interior marble, slate, travertine, art marble, serpentine, alberene stone, blue stone, granite and other stones (meaning as to stone any foreign or domestic materials as are specified and used in building interiors and exteriors and customarily known as stone in the trade), carrara, sanionyx, vitrolite and similar opaque glass and the laying of all marble tile, terrazzo tile, slate tile and precast tile, steps, risers treads, base, or any other materials that may be used as substitutes for any of the aforementioned materials and which are used on interior and exterior which are installed in a similar manner.

MATERIAL TESTER I: Hand coring and drilling for testing of materials; field inspection of uncured concrete and asphalt.

MATERIAL TESTER II: Field inspection of welds, structural steel, fireproofing, masonry, soil, facade, reinforcing steel, formwork, cured concrete, and concrete and asphalt batch plants; adjusting proportions of bituminous mixtures.

OPERATING ENGINEER - BUILDING

Class 1. Asphalt Plant; Asphalt Spreader; Autograde; Backhoes with Caisson Attachment; Batch Plant; Benoto (requires Two Engineers); Boiler and Throttle Valve; Caisson Rigs; Central Redi-Mix Plant; Combination Back Hoe Front End-loader Machine; Compressor and Throttle Valve;

Concrete Breaker (Truck Mounted); Concrete Conveyor; Concrete Conveyor (Truck Mounted); Concrete Paver Over 27E cu. ft.; Concrete Paver 27E cu. ft. and Under; Concrete Placer; Concrete Placing Boom; Concrete Pump (Truck Mounted); Concrete Tower; Cranes, All; Cranes, Hammerhead; Cranes, (GCI and similar Type); Creter Crane; Spider Crane; Crusher, Stone, etc.; Derricks, All; Derricks, Traveling; Formless Curb and Gutter Machine; Grader, Elevating; Grouting Machines; Heavy Duty Self-Propelled Transporter or Prime Mover; Highlift Shovels or Front Endloader 2-1/4 yd. and over; Hoists, Elevators, outside type rack and pinion and similar machines; Hoists, One, Two and Three Drum; Hoists, Two Tugger One Floor; Hydraulic Backhoes; Hydraulic Boom Trucks; Hydro Vac (and similar equipment); Locomotives, All; Motor Patrol; Lubrication Technician; Manipulators; Pile Drivers and Skid Rig; Post Hole Digger; Pre-Stress Machine; Pump Cretes Dual Ram; Pump Cretes: Squeeze Cretes-Screw Type Pumps; Gypsum Bulker and Pump; Raised and Blind Hole Drill; Roto Mill Grinder; Scoops - Tractor Drawn; Slip-Form Paver; Straddle Buggies; Operation of Tie Back Machine; Tournapull; Tractor with Boom and Side Boom; Trenching Machines.

Class 2. Boilers; Broom, All Power Propelled; Bulldozers; Concrete Mixer (Two Bag and Over); Conveyor, Portable; Forklift Trucks; Highlift Shovels or Front Endloaders under 2-1/4 yd.; Hoists, Automatic; Hoists, Inside Elevators; Hoists, Sewer Dragging Machine; Hoists, Tugger Single Drum; Laser Sced; Rock Drill (Self-Propelled); Rock Drill (Truck Mounted); Rollers, All; Steam Generators; Tractors, All; Tractor Drawn Vibratory Roller; Winch Trucks with "A" Frame.

Class 3. Air Compressor; Combination Small Equipment Operator; Generators; Heaters, Mechanical; Hoists, Inside Elevators (remodeling or renovation work); Hydraulic Power Units (Pile Driving, Extracting, and Drilling); Pumps, over 3" (1 to 3 not to exceed a total of 300 ft.); Low Boys; Pumps, Well Points; Welding Machines (2 through 5); Winches, 4 Small Electric Drill Winches.

Class 4. Bobcats and/or other Skid Steer Loaders; Oilers; and Brick Forklift.

Class 5. Assistant Craft Foreman.

Class 6. Gradaill.

Class 7. Mechanics; Welders.

OPERATING ENGINEERS - HIGHWAY CONSTRUCTION

Class 1. Asphalt Plant; Asphalt Heater and Planer Combination; Asphalt Heater Scarfire; Asphalt Spreader; Autograder/GOMACO or other similar type machines; ABG Paver; Backhoes with Caisson Attachment; Ballast Regulator; Belt Loader; Caisson Rigs; Car Dumper; Central Redi-Mix Plant; Combination Backhoe Front Endloader Machine, (1 cu. yd. Backhoe Bucket or over or with attachments); Concrete Breaker (Truck Mounted); Concrete Conveyor; Concrete Paver over 27E cu. ft.; Concrete Placer; Concrete Tube Float; Cranes, all attachments; Cranes, Tower Cranes of all

types: Creter Crane; Spider Crane; Crusher, Stone, etc.; Derricks, All; Derrick Boats; Dredges; Elevators, Outside type Rack & Pinion and Similar Machines; Formless Curb and Gutter Machine; Grader, Elevating; Grader, Motor Grader, Motor Patrol, Auto Patrol, Form Grader, Pull Grader, Subgrader; Guard Rail Post Driver Truck Mounted; Hoists, One, Two and Three Drum; Heavy Duty Self-Propelled Transporter or Prime Mover; Hydraulic Backhoes; Backhoes with shear attachments up to 40' of boom reach; Lubrication Technician; Manipulators; Mucking Machine; Pile Drivers and Skid Rig; Pre-Stress Machine; Pump Cretes Dual Ram; Rock Drill - Crawler or Skid Rig; Rock Drill - Truck Mounted; Rock/Track Tamper; Roto Mill Grinder; Slip-Form Paver; Snow Melters; Soil Test Drill Rig (Truck Mounted); Straddle Buggies; Hydraulic Telescoping Form (Tunnel); Operation of Tieback Machine; Tractor Drawn Belt Loader; Tractor Drawn Belt Loader (with attached pusher - two engineers); Tractor with Boom; Tractaire with Attachments; Traffic Barrier Transfer Machine; Trenching; Truck Mounted Concrete Pump with Boom; Raised or Blind Hole Drills (Tunnel Shaft); Underground Boring and/or Mining Machines 5 ft. in diameter and over tunnel, etc; Underground Boring and/or Mining Machines under 5 ft. in diameter; Wheel Excavator; Widener (APSCO).

Class 2. Batch Plant; Bituminous Mixer; Boiler and Throttle Valve; Bulldozers; Car Loader Trailing Conveyors; Combination Backhoe Front Endloader Machine (Less than 1 cu. yd. Backhoe Bucket or over or with attachments); Compressor and Throttle Valve; Compressor, Common Receiver (3); Concrete Breaker or Hydro Hammer; Concrete Grinding Machine; Concrete Mixer or Paver 7S Series to and including 27 cu. ft.; Concrete Spreader; Concrete Curing Machine, Burlap Machine, Belting Machine and Sealing Machine; Concrete Wheel Saw; Conveyor; Muck Cars (Haglund or Similar Type); Drills, All; Finishing Machine - Concrete; Highlift Shovels or Front Endloader; Hoist - Sewer Dragging Machine; Hydraulic Boom Trucks (All Attachments); Hydro-Blaster; Hydro Excavating (excluding hose work); Laser Screed; All Locomotives, Dinky; Off-Road Hauling Units (including articulating) Non Self-Loading Ejection Dump; Pump Cretes; Squeeze Cretes - Screw Type Pumps, Gypsum Bulker and Pump; Roller, Asphalt; Rotary Snow Plows; Rototiller, Seaman, etc., self-propelled; Self-Propelled Compactor; Spreader - Chip - Stone, etc.; Scraper - Single/Twin Engine/Push and Pull; Scraper - Prime Mover in Tandem (Regardless of Size); Tractors pulling attachments, Sheeps Foot, Disc, Compactor, etc.; Tug Boats.

Class 3. Boilers; Brooms, All Power Propelled; Cement Supply Tender; Compressor, Common Receiver (2); Concrete Mixer (Two Bag and Over); Conveyor, Portable; Farm-Type Tractors Used for Mowing, Seeding, etc.; Forklift Trucks; Grouting Machine; Hoists, Automatic; Hoists, All Elevators; Hoists, Tugger Single Drum; Jeep Diggers; Low Boys; Pipe Jacking Machines; Post-Hole Digger; Power Saw, Concrete Power Driven; Pug Mills; Rollers, other than Asphalt; Seed and Straw Blower; Steam Generators; Stump Machine; Winch Trucks with "A" Frame; Work Boats; Tamper-Form-Motor Driven.

Class 4. Air Compressor; Combination - Small Equipment Operator; Directional Boring Machine; Generators; Heaters, Mechanical; Hydraulic Power Unit (Pile Driving, Extracting, or Drilling); Light Plants, All (1 through 5); Pumps, over 3" (1 to 3 not to exceed a total of 300 ft.); Pumps, Well Points; Vacuum Trucks (excluding hose work); Welding Machines (2 through 5); Winches, 4 Small Electric Drill Winches.

Class 5. SkidSteer Loader (all); Brick Forklifts; Oilers.

Class 6. Field Mechanics and Field Welders

Class 7. Dowell Machine with Air Compressor; Gradall and machines of like nature.

OPERATING ENGINEERS - FLOATING

Diver. Diver Wet Tender, Diver Tender, ROV Pilot, ROV Tender

TRAFFIC SAFETY - Effective November 30, 2018, the description of the traffic safety worker trade in this County is as follows: Work associated with barricades, horses and drums used to reduce lane usage on highway work, the installation and removal of temporary, non-temporary or permanent lane, pavement or roadway markings, and the installation and removal of temporary road signs.

TRUCK DRIVER - BUILDING, HEAVY AND HIGHWAY CONSTRUCTION

Class 1. Two or three Axle Trucks. A-frame Truck when used for transportation purposes; Air Compressors and Welding Machines, including those pulled by cars, pick-up trucks and tractors; Ambulances; Batch Gate Lockers; Batch Hopperman; Car and Truck Washers; Carry-alls; Fork Lifts and Hoisters; Helpers; Mechanics Helpers and Greasers; Oil Distributors 2-man operation; Pavement Breakers; Pole Trailer, up to 40 feet; Power Mower Tractors; Self-propelled Chip Spreader; Skipman; Slurry Trucks, 2-man operation; Slurry Truck Conveyor Operation, 2 or 3 man; Teamsters; Unskilled Dumpman; and Truck Drivers hauling warning lights, barricades, and portable toilets on the job site.

Class 2. Four axle trucks; Dump Crets and Adgetors under 7 yards; Dumpsters, Track Trucks, Euclids, Hug Bottom Dump Turnapulls or Turnatrailers when pulling other than self-loading equipment or similar equipment under 16 cubic yards; Mixer Trucks under 7 yards; Ready-mix Plant Hopper Operator, and Winch Trucks, 2 Axles.

Class 3. Five axle trucks; Dump Crets and Adgetors 7 yards and over; Dumpsters, Track Trucks, Euclids, Hug Bottom Dump Turnatrailers or turnapulls when pulling other than self-loading equipment or similar equipment over 16 cubic yards; Explosives and/or Fission Material Trucks; Mixer Trucks 7 yards or over; Mobile Cranes while in transit; Oil Distributors, 1-man operation; Pole Trailer, over 40 feet; Pole and Expandable Trailers hauling material over 50 feet long; Slurry trucks, 1-man operation; Winch trucks, 3 axles or more; Mechanic--Truck Welder and Truck Painter.

Class 4. Six axle trucks; Dual-purpose vehicles, such as mounted crane trucks with hoist and accessories; Foreman; Master Mechanic; Self-loading equipment like P.B. and trucks with scoops on the front.

TERRAZZO FINISHER

The handling of sand, cement, marble chips, and all other materials that may be used by the Mosaic Terrazzo Mechanic, and the mixing, grinding, grouting, cleaning and sealing of all Marble, Mosaic, and Terrazzo work, floors, base, stairs, and wainscoting by hand or machine, and in addition, assisting and aiding Marble, Masonic, and Terrazzo Mechanics.

Other Classifications of Work:

For definitions of classifications not otherwise set out, the Department generally has on file such definitions which are available. If a task to be performed is not subject to one of the classifications of pay set out, the Department will upon being contacted state which neighboring county has such a classification and provide such rate, such rate being deemed to exist by reference in this document. If no neighboring county rate applies to the task, the Department shall undertake a special determination, such special determination being then deemed to have existed under this determination. If a project requires these, or any classification not listed, please contact IDOL at 217-782-1710 for wage rates or clarifications.

LANDSCAPING

Landscape work falls under the existing classifications for laborer, operating engineer and truck driver. The work performed by landscape plantsman and landscape laborer is covered by the existing classification of laborer. The work performed by landscape operators (regardless of equipment used or its size) is covered by the classifications of operating engineer. The work performed by landscape truck drivers (regardless of size of truck driven) is covered by the classifications of truck driver.

MATERIAL TESTER & MATERIAL TESTER/INSPECTOR I AND II

Notwithstanding the difference in the classification title, the classification entitled "Material Tester I" involves the same job duties as the classification entitled "Material Tester/Inspector I". Likewise, the classification entitled "Material Tester II" involves the same job duties as the classification entitled "Material Tester/Inspector II".



Local Public Agency

County

Section Number

McHenry County Division of Transportation

McHenry

19-00000-06-GM

The following Special Provision supplement the "Standard Specifications for Road and Bridge Construction", adopted

April 1, 2016

, the latest edition of the "Manual on Uniform Traffic Control Devices for Streets and Highways", and the "Manual of Test Procedures of Materials" in effect on the date of invitation of bids, and the Supplemental Specification and Recurring Special Provisions indicated on the Check Sheet included here in which apply to and govern the construction of the above named section, and in case of conflict with any parts, or parts of said Specifications, the said Special Provisions shall take precedence and shall govern.

MCHENRY COUNTY DIVISION OF TRANSPORTATION

SPECIAL PROVISIONS – 2019 SIGN MATERIALS

MCDOT will not pay shipping costs for material purchased. All shipping costs for material purchased shall be incidental to the unit price for those items.

A unit price is required on all items in the groups listed below.

Unit prices shall remain in effect until November 1, 2019.

All quantities listed in the Schedule of Prices are estimated quantities. The County reserves the right to add or deduct from the quantities shown on the Schedule of Prices.

SUMMARY OF GROUPS:

1. GALVANIZED STEEL SIGN POSTS
2. ALUMINUM BLANKS
3. SIGN MATERIAL ROLL GOODS
4. SIGN MATERIAL FACES
5. ROLL UP WARNING SIGN ASSEMBLIES, BARRICADES, ORANGE VINYL CONES
6. SIGN CHANNEL, BANDING, AND POST CLAMPS
7. SIGN BRACKETS
8. HARDWARE
9. FLEXIBLE DELINEATOR POSTS

Group 1: GALVANIZED STEEL SIGN POSTS

The telescoping steel sign supports shall conform to section 1093 of IDOT's Standard Specifications for Road and Bridge Construction (2016).

Revised paragraph 3 in section 1093.01 (c).

Paragraph 3. Holes 7/16+or-1/64-inch in diameter will be spaced one inch on centers on all sides for the entire length of the posts. Holes shall be on the centerline of each side in true alignment and opposite each other to accept a 3/8-inch through the post at any location. The post shall have a smooth galvanized finish applied either before or after forming.

The size of the posts and bases are listed below.

- 12-foot x 2" x 2" steel posts shall be 14-gage galvanized steel
- 3-foot x 2 1/4" x 2 1/4" steel winged anchor/base shall be 12-gage galvanized steel
- 3-foot x 2 1/4" x 2 1/4" steel anchor/base (no wings) shall be 12-gage galvanized steel

The winged anchors shall be constructed by using a standard tubular anchor and welding metal triangular fins on each corner of the tubular base. The four triangular fins shall be approximately 10" long by 4" wide mounted at approximately 9" from the top of the anchor for the 3-foot anchors.

The successful bidder shall request a certified report showing test results of the cast or heat analysis and chemical analysis. The report shall also include the purchase order number, ASTM designation number and cast or heat number representing the material. A copy of this report shall be sent to the County Engineer prior to or upon delivery.

When the Metal Posts and Bases arrive at the County Yard, County personnel will check for galvanization, chromate conversion coating and crosslinked polyurethane acrylic exterior coating, hole size, hole spacing, wall thickness tolerance, weight and length. All deliveries shall be made within "30" days upon receipt of any order. Deliveries shall be made before 2:00 P.M. on any weekday. All posts are to be delivered to the County Yard via flat bed truck.

Group 2: ALUMINUM BLANKS

The sign blanks material shall conform to the section 1090 of IDOT's Standard Specifications for Road and Bridge Construction (2016). **The sign blanks up to and including 9 square feet in area shall be type 1: 0.080+or- gauge sheet aluminum with a tolerance of +or-0.004. The sign blanks over 9 square feet in area shall be type 2: 0.0125+or- gauge sheet aluminum with a tolerance of +0.007.**

Any exceptions to the gage thickness of the blanks stated above shall be listed in the schedule of prices for a specific blank.

Domestic metal shall be used. All other blanks shall have 3/8-inch diameter mounting holes shall be drilled as per enclosed diagrams except as noted on the diagram sheets. The supplier shall furnish a one square foot sample of the metal together with a certificate that the sign blanks are made from the same lot or heat number of metal represented by the sample. If more than one lot or heat number is involved, a one square foot sample shall be furnished for each lot or heat number.

All deliveries shall be made within "30" days upon receipt of any order. Deliveries shall be made before 2:00 P.M. on any weekday.

Group 3 and Group 4: SIGN ROLL GOODS AND SIGN FACES

General. All reflective sign sheeting used for traffic control highway signs shall be **3M TCM sign material** and at a minimum meet the requirements of sections 1091 and 1092 of IDOT's Standard Specifications for Road and Bridge Construction (2016).

The type of sheeting and quantities are listed in the schedule of prices. All roll goods supplied shall come with a clear plastic liner. Rolls of protective overlay film 1160 shall have premask. Rolls of protective overlay film 1170 shall not have premask.

All sign faces (unless otherwise stated in the schedule of prices) shall come with Protective Overlay Film 1160 with premask applied to the sign face. This overlay film shall be incidental to the unit price for the sign faces listed in the Schedule of Prices.

No text (company initials, agency name, etc.) will be allowed on the front of the sign faces or in the borders, etc.

All deliveries shall be made within "30" days upon receipt of any order. Deliveries shall be made before 2:00 P.M. on any weekday.

Group 5: BARRICADES, ROLL UP WARNING SIGN ASSEMBLIES, ORANGE VINYL CONES

All roll up warning sign shall conform to the following specifications. The 48" x 48" roll up sign assemblies shall be composed of 3M Schotchlite Diamond Grade Fluorescent Orange reflective roll up sign material, fiberglass crossbracing (minimum 1¼" thickness), **NO WARNING FLAGS SHALL BE MOUNTED TO THE CROSSBRACING**. The roll up sign shall have a pocketing system to accept the crossbracing.

The various roll up sign bases shall conform to the following specifications. The Aluminum springless sign bases shall have 4 adjustable legs for varying terrain and the mounting bracket system for mounting the roll up sign to the base shall accept the pocketed system of the roll up sign assemblies listed above. Each sign base shall be accompanied by a sign stand bag/carrying case that shall be incidental to the unit price for the sign bases.

All roll up signs and sign bases shall be from the same manufacturer to ensure that the sign will fit into the sign base. Roll up signs are required to fit into the sign base.

All barricades (Type I) shall conform Manual on Uniform Traffic Control Devices, Highway Standard 701901-02, **and the latest NCHRP 350 and AASHTO crash test performance requirements**. The sheeting on all barricades (Type I) listed in the Schedule of Prices shall be 3M-brand High Intensity Prismatic sheeting. All Type I barricades shall be plastic and have the ability to fill the barricade with sand. Plasticade or equivalent barricades meet these requirements. All Type I barricades shall be supplied to the County by the Vendor with one L.E.D. flashing light each that can be mounted to the barricade. The L.E.D. flashing lights shall be a flasher having an easily accessible switch location and can switch from Type "A" to Type "C" operation with an off mode, and be powered by D-cell batteries. The L.E.D. flashing lights supplied with the barricades shall be incidental to the unit price for the Barricades.

All deliveries shall be made within "30" days upon receipt of any order. Deliveries shall be made before 2:00 P.M. on any weekday.

Group 6: SIGN CHANNEL, BANDING, AND POST CLAMPS:

McHenry County currently uses:

- 1" SignFix channel and clamps and Band-it stainless steel banding
- 2" Xccessories Squared channel and post clamps.

1" Sign Channel:

- Overall dimensions – 1" mounting surface x 1" depth medium extrusion 6061-T6 aluminum alloy. Material shall be delivered in 10' lengths.
- Channel shall be SignFix SX0073 or equivalent.

Channel Clamps for 1" Channel:

- Universal channel clamp shall be compatible with 1" sign channel listed above. Clamp shall be stainless steel.
- Clamp shall be SignFix SX0220 or equivalent.

Stainless Steel Banding:

- The stainless steel banding shall be Band-It or equivalent. The banding shall be 3/4 inches thick x .025 inches thick with an average breaking strength of 1500 pounds. Delivery in 200 foot roll/box.

2" Sign Channel:

- Overall dimensions – 2" mounting surface x 7/8" depth x 1/8" nominal wall thickness 6061-T6 aluminum alloy. Material shall be delivered in 12' lengths.
- 2" channel shall be Xccessories Squared ASB200-12 or equivalent.

4.5 inch Post Clamps for 2" Channel:

- The clamps shall be compatible with the 2" sign channel listed above.
- Overall dimensions – 7/8" wide x 11 ga. Type 304 #2B finished stainless steel furnished with a stainless steel carriage bolt and lock nut (3/8" x 1-1/2" carriage bolt & 3/8" flange nut).and shall be approximately 3/4 pound per set of two.
- Clamps must be able to twist and lock into place into the two inch sign bracing and must fit a 2" telescoping steel post, and 4.5" round signal posts as specified in the schedule of prices.

The quantities of the above items are listed in the Schedule of Prices. The successful bidder shall make delivery within "30" days upon receipt of order. Deliveries shall be made before 2:00 PM on any weekday.

Group 7: SIGN BRACKETS:

The bracket shall be made of a heavy duty plastic material. The bracket shall accept roll-up warning sign bracing up to a maximum of 1-1/4" thickness. The bracket shall be able to mount to square channel posts. The brackets shall hold the roll up signs by two pins on each end of the bracket. The bracket shall not have any components, which can be separated from the main body of the bracket. The bracket shall not extend more than 2" from the post to which it is attached. The bracket shall not have

any unrounded and uncoated metal edges, which can contact the back surface of the roll-up sign. All hardware used for mounting the sign brackets to the 2" square channel posts shall be included with delivery of the brackets according to the schedule below and shall be incidental to the unit price per bracket.

All deliveries shall be made within "30" days upon receipt of any order. Deliveries shall be made before 2:00 P.M. on any weekday.

Group 8: SIGN MOUNTING HARDWARE:

All steel bolts, nuts, and washers shall have USS finish and shall be grade 5. Domestic steel shall be used for sign mounting hardware. The quantities of the above items are listed in the Schedule of Prices.

All deliveries shall be made within "30" days upon receipt of any order. Deliveries shall be made before 2:00 P.M. on any weekday.

Group 9: FLEXIBLE DELINEATOR POSTS:

All delineator posts shall conform to the following specifications. All delineator posts shall be Safe-Hit brand posts or an approved equal meeting the following specifications.

Ground Mount Delineator Posts:

- 48" tall, white, flexible, replaceable, and recyclable
- Top portion (top 15 inches) of post to be elongated with approximate dimensions, 3 inches wide by 1-1/2 inches thick.
- Approximately 2-1/4 inches in diameter
- Withstand 200 vehicular impacts at 60 mph
- 360° visibility and able to withstand temperatures from 0° to +140°
- Constructed of UV stable urethane plastic
- Each post supplied with 18" soil anchor (closed end)
- Each post supplied without reflective sheeting


The quantities of the above items are listed in the Schedule of Prices. The successful bidder shall make delivery within "30" days upon receipt of order. Deliveries shall be made before 2:00 PM on any weekday.

Standard Highway Signs Designs

McHenry County Division of Transportation

Aluminum Blank Standards

Rectangular Sign Blank




A	B	C	D	E	R
24	9	1	7	12	1
30	9	1	7	15	1
36	9	1	7	18	1
42	9	1	7	21	1
48	9	1	7	24	1
24	12	1	10	12	1.5
30	12	1	10	15	1.5
36	12	1	10	18	1.5
42	12	1	10	21	1.5
48	12	1	10	24	1.5
54	12	1	10	27	1.5
21	15	1.5	12	10.5	1.5
30	15	1.5	12	15	1.5
36	15	1.5	12	18	1.5
24	18	1.5	15	12	1.5
30	18	1.5	15	15	1.5
36	18	1.5	15	18	1.5
36	24	2	20	18	1.5

Standard Highway Signs Designs

McHenry County Division of Transportation

Aluminum Blank Standards

Rectangular Sign Blank




A	B	C	D	E	F	R
42	30	3	12	21	15	1.875
48	30	3	12	24	15	1.875
48	24	3	9	24	12	1.875
48	36	3	15	24	18	1.875
60	30	3	12	30	15	1.875

Standard Highway Signs Designs

McHenry County Division of Transportation

Aluminum Blank Standards

Rectangular Sign Blank




A	B	C	D	E	R
6	12	1	10	3	0.75
12	16	1	14	6	1.5
12	18	1	16	6	1.5
24	30	3	24	12	1.5
30	36	3	30	15	1.875

Standard Highway Signs Designs

McHenry County Division of Transportation

Aluminum Blank Standards




A	B	C
24	3	18
30	3	24
36	3	30

Standard Highway Signs Designs

McHenry County Division of Transportation

Aluminum Blank Standards

Diamond Sign Blank



A	B	R
30	15	1.875
36	18	2.25


NOTE: Third hole in center of blank for 36" size blanks only.

Standard Highway Signs Designs

McHenry County Division of Transportation

Aluminum Blank Standards

Square Sign Blank




A	B	C	D	R
18	2	14	9	1.5
24	2	20	12	1.5

Standard Highway Signs Designs


McHenry County Division of Transportation

Aluminum Blank Standards



A	B	C	D
30	21	3	1.875
36	24	3	2.25

A	B	C	D	E
18	15	1	5	2
24	18	2	5.313	2.688
30	24	2	6.625	3.375



CIRCLE


A	B
15	12
18	15

Standard Highway Signs Designs

McHenry County Division of Transportation

Aluminum Blank Standards

Rectangular Sign Blank




A	B	R
18	18	1.5
48	18	1.5
54	18	1.5
60	18	1.5
66	18	1.5
72	18	1.5
42	30	2.25
48	30	2.25
54	30	2.25
66	30	2.25
72	30	2.25
48	36	3
54	42	3
72	42	3
84	42	3
72	48	3

Standard Highway Signs Designs

McHenry County Division of Transportation

Aluminum Blank Standards

ISOSCELES TRIANGLE



A	B	C	D	E
40	30	7.5	12	1.875
48	36	9	15	2.25

1)Winged base shall be driven to a depth of 32 inches leaving 4 inches exposed.

Technical drawing of a base plate showing front and side views with dimensions and labels.

Front View (Top):

- Overall length: 10"1
- Distance from left end to centerline: 4"6
- Distance from centerline to right end: 4"
- Labels: A (left), B (right)

Side View (Bottom):

- Overall length: 10"1
- Distance from left end to centerline: 4"6
- Distance from centerline to right end: 4"
- Labels: A (left), B (right)

Top View (Left):

- Overall length: 10"1
- Distance from left end to centerline: 4"6
- Distance from centerline to right end: 4"
- Labels: A (left), B (right)

Bottom View (Right):

- Overall length: 10"1
- Distance from left end to centerline: 4"6
- Distance from centerline to right end: 4"
- Labels: A (left), B (right)

Dimensions and Labels:

- 10"1: Overall length of the base plate.
- 4"6: Distance from the left end to the centerline.
- 4": Distance from the centerline to the right end.
- A: Label for the left end.
- B: Label for the right end.
- Length as specified: Label for the overall length.
- Min. 55 holes spaced at 1/25 cts.: Label for the hole spacing.

This work shall consist of furnishing and installing telescoping steel sign supports for ground-mounted signs utilizing a telescoping base section in accordance with applicable articles of Section 728 and as detailed in the plans and the following.

Posts as specified in article 1033.01(c) shall be formed of 14 gauge steel, except that the posts shall be formed of 16 gauge steel, holes 1/8 inch by 1/4 inch in diameter, and shall be galvanized. The posts shall be 12 feet long with 1/2 inch thick flanges on each side for the entire length of the posts. Holes shall be on the centerline of each side in true alignment and opposite of each other to accept a 3/8 inch bolt through the post of any location. The post shall have a smooth galvanized finish applied either before or after forming.

The base shall be constructed with 12 gage steel winged anchors by using standard tubular steel and welding metal triangular fins on each corner of the tubular steel. The four triangular fins shall be 10" long by 4" wide mounted 9" from the top of the base pointing in a downward direction. The base shall be 3' feet in length. The base shall have a smooth galvanized finish applied either after fabrication.

TELESCOPING STEEL
SIGN SUPPORT



Group No.	Items	Delivery	Unit	Quantity	Unit Price	Total
1	Telescoping steel sign posts					
	12' x 2" Galv Steel Post		each	400.00		
	--7/16" dia. holes, 14 ga					
	Tele. Steel Anchors		each	50.00		
	3' x 2 1/4" GS Anchor					
	--7/16" dia. holes, 12 ga					
	--no wings					
	Tele. Steel Winged Anchors		each	500.00		
	3' x 2 1/4" GS Winged Anchor					
	--7/16" dia. holes, 12 ga					
	--wings placed 9" below top					
	TOTAL					

The undersigned firm certifies that it has not been convicted of bribery or attempting to bribe an officer or employee of the State of Illinois, nor has the firm made an admission of guilt of such conduct which is a matter of record, nor has an official, agent or employee of the firm committed bribery or attempted bribery on behalf of the firm and pursuant to the direction or authorization of a responsible official of the firm. The undersigned firm further certifies that it is not barred from contracting with any unit of State or local government as a result of a violation of State laws prohibiting bid-rigging or bid rotating.

Signature of Bidder

Address



Group No.	Items	Delivery	Unit	Quantity	Unit Price	Total
2	Aluminum Blanks					
	6" x 18"		each	10.00		
	6" x 24"		each	20.00		
	6" x 30"		each	20.00		
	6" x 36"		each	20.00		
	9" x 24"		each	50.00		
	9" x 30"		each	30.00		
	9" x 36"		each	40.00		
	12" x 15"		each	20.00		
	12" x 18"		each	30.00		
	12" x 24"		each	50.00		
	12" x 30"		each	30.00		
	12" x 36"		each	50.00		
	24" x 24" M1-6		each	20.00		
	24" x 30"		each	200.00		
	30" x 30" diamond		each	50.00		
	30" x 36"		each	25.00		
	30" x 42"		each	10.00		
	30" x 48"		each	10.00		
	36" Stop R1-1		each	25.00		
	36" x 36" diamond		each	75.00		
	36" x 36" x 36" R1-2		each	20.00		
	36" x 42"		each	5.00		
	36" x 48"		each	10.00		
	TOTAL					

The undersigned firm certifies that it has not been convicted of bribery or attempting to bribe an officer or employee of the State of Illinois, nor has the firm made an admission of guilt of such conduct which is a matter of record, nor has an official, agent or employee of the firm committed bribery or attempted bribery on behalf of the firm and pursuant to the direction or authorization of a responsible official of the firm. The undersigned firm further certifies that it is not barred from contracting with any unit of State or local government as a result of a violation of State laws prohibiting bid-rigging or bid rotating.

Signature of Bidder

Address



Group No.	Items	Delivery	Unit	Quantity	Unit Price	Total
3	Sign Material Roll Goods					
	IDOT Type ZZ					
	DG3, Various Colors					
	--fluorescent					
	18" x 50 yds, yellow		roll	1.00		
	24" x 50 yds, yellow		roll	2.00		
	IDOT Type ZZ					
	DG3, Various Colors					
	9" x 50 yds, white		roll	1.00		
	36" x 50 yds, white		roll	2.00		
	Advanced EGP Sheeting					
	--vaious colors					
	36" x 50 yds, white		roll	1.00		
	HIP Reflective Sheeting					
	30" x 50 yds, yellow		roll	1.00		
	36" x 50 yds, white		roll	2.00		
	Continued on Next Page					

The undersigned firm certifies that it has not been convicted of bribery or attempting to bribe an officer or employee of the State of Illinois, nor has the firm made an admission of guilt of such conduct which is a matter of record, nor has an official, agent or employee of the firm committed bribery or attempted bribery on behalf of the firm and pursuant to the direction or authorization of a responsible official of the firm. The undersigned firm further certifies that it is not barred from contracting with any unit of State or local government as a result of a violation of State laws prohibiting bid-rigging or bid rotating.

Signature of Bidder

Address



Group No.	Items	Delivery	Unit	Quantity	Unit Price	Total
	Continued from previous page					
3	Sign Material Roll Goods					
	Non-Reflective Vinyl Film					
	Non-Punched, clear liner					
	36" x 50 yds, black		roll	5.00		
	48" x 50 yds, black		roll	2.00		
	Non-Reflective Vinyl Film					
	Non-Punched, clear liner					
	18" x 50 yds, removable, white		roll	1.00		
	--Adhesive 680CR-10 E					
	18" x 50 yds, white (#3650B)		roll	2.00		
	30" x 50 yds, white (#3650B)		roll	2.00		
	36" x 50 yds, white (#3650B)		roll	1.00		
	Conspicuity Tape					
	Diamond Grade Sheeting					
	2" x 50 yds, red/white		roll	2.00		
	Continued on Next Page					

The undersigned firm certifies that it has not been convicted of bribery or attempting to bribe an officer or employee of the State of Illinois, nor has the firm made an admission of guilt of such conduct which is a matter of record, nor has an official, agent or employee of the firm committed bribery or attempted bribery on behalf of the firm and pursuant to the direction or authorization of a responsible official of the firm. The undersigned firm further certifies that it is not barred from contracting with any unit of State or local government as a result of a violation of State laws prohibiting bid-rigging or bid rotating.

Signature of Bidder

Address

[illegible]

Address



Group No.	Items	Delivery	Unit	Quantity	Unit Price	Total
4	Sign Material					
	Sign Faces					
	IDOT Type ZZ, DG3					
	--Protective Overlay Film 1160					
	36" x 36" x 36" Yield (R1-2)		each	20.00		
	IDOT Type ZZ, DG3					
	Fluorescent Yellow Faces					
	--No Protective Overlay Film					
	30" x 24" Chevron, W1-8		each	200.00		
	48" x 24" Large Arrow, W1-6		each	50.00		
	12" x 36" (OM-3L)		each	10.00		
	12" x 36" (OM-3R)		each	10.00		
	TOTAL					

The undersigned firm certifies that it has not been convicted of bribery or attempting to bribe an officer or employee of the State of Illinois, nor has the firm made an admission of guilt of such conduct which is a matter of record, nor has an official, agent or employee of the firm committed bribery or attempted bribery on behalf of the firm and pursuant to the direction or authorization of a responsible official of the firm. The undersigned firm further certifies that it is not barred from contracting with any unit of State or local government as a result of a violation of State laws prohibiting bid-rigging or bid rotating.

Signature of Bidder

Address



Group No.	Items	Delivery	Unit	Quantity	Unit Price	Total
5	Traffic Control Devices					
	Roll Up Warning Sign Assembly					
	--no flags on crossbracing					
	--Fluorescent Orange					
	--48" x 48" size signs					
	One Lane Road Ahead		each	4.00		
	Road Work Ahead (text)		each	4.00		
	W20-7, Flagger, symbol		each	4.00		
	Mowing Ahead (text)		each	12.00		
	Aluminum Springless Sign Base		each	24.00		
	--must be compatible with					
	roll-up signs					
	Type 1 Barricades		each	100.00		
	--with flashing yellow light					
	--Plasticade or equivalent					
	--internal ballasting style					
	TOTAL					

The undersigned firm certifies that it has not been convicted of bribery or attempting to bribe an officer or employee of the State of Illinois, nor has the firm made an admission of guilt of such conduct which is a matter of record, nor has an official, agent or employee of the firm committed bribery or attempted bribery on behalf of the firm and pursuant to the direction or authorization of a responsible official of the firm. The undersigned firm further certifies that it is not barred from contracting with any unit of State or local government as a result of a violation of State laws prohibiting bid-rigging or bid rotating.

Signature of Bidder

Address



Group No.	Items	Delivery	Unit	Quantity	Unit Price	Total
6	Aluminum Sign Channel					
	2" Aluminum Sign Channel		feet	192.00		
	--delivered in 12' lengths					
	2" square post sign clamp		each	50.00		
	--compatible w/ 2" Channel					
	--stainless steel					
	--w/3/8" x 1-1/2carriage bolt					
	& 3/8" flange nut					
	4.5" round post sign clamp		each	300.00		
	--compatible w/ 2" Channel					
	--stainless steel					
	--w/3/8" x 1-1/2carriage bolt					
	& 3/8" flange nut					
	3/4" Stainless Steel Banding		roll	1.00		
	--0.025" thick					
	--200 ft rolls					
	TOTAL					

The undersigned firm certifies that it has not been convicted of bribery or attempting to bribe an officer or employee of the State of Illinois, nor has the firm made an admission of guilt of such conduct which is a matter of record, nor has an official, agent or employee of the firm committed bribery or attempted bribery on behalf of the firm and pursuant to the direction or authorization of a responsible official of the firm. The undersigned firm further certifies that it is not barred from contracting with any unit of State or local government as a result of a violation of State laws prohibiting bid-rigging or bid rotating.

Signature of Bidder

Address

[illegible]

Address



Group No.	Items	Delivery	Unit	Quantity	Unit Price	Total
8	Sign Mounting Hardware					
	5/16" - 18 x 3" USS G 5 Bolts		each	3000.00		
	5/16" - 18 USS G 5 Nuts		each	3000.00		
	Fender Washer		each	3000.00		
	3/8" x 1-1/2" USS, Heavy					
	Flat Washer		each	3000.00		
	5/16" x 7/8" USS G 5					
	Nylon Washer					
	3/8"IDx1-1/4"OD x1/16" thick		each	3000.00		
	3/8"IDx7/8"OD x1/16" thick		each	3000.00		
	5/16" -18 USS G 5 Jam Nuts		each	1000.00		
	--flanged					
	TOTAL					

The undersigned firm certifies that it has not been convicted of bribery or attempting to bribe an officer or employee of the State of Illinois, nor has the firm made an admission of guilt of such conduct which is a matter of record, nor has an official, agent or employee of the firm committed bribery or attempted bribery on behalf of the firm and pursuant to the direction or authorization of a responsible official of the firm. The undersigned firm further certifies that it is not barred from contracting with any unit of State or local government as a result of a violation of State laws prohibiting bid-rigging or bid rotating.

Signature of Bidder

Address

[illegible]

Address



RETURN WITH BID

Route	Various
County	McHenry
Local Agency	McHenry County
Section	19-00000-06-GM

PAPER BID BOND

and _____ as SURETY,

Principal

(Company Name)

By: _____
(Signature and Title)

Surety

By: _____
(Signature of Attorney-in-Fact)

(Name of Surety)

COUNTY OF _____

I, _____, a Notary Public in and for said county,
do hereby certify that

(Insert names of individuals signing on behalf of PRINCIPAL & SURETY)

Given under my hand and notarial seal this _____ day of _____

My commission expires _____ (Notary Public)

ELECTRONIC BID BOND

[illegible]

Electronic Bid Bond ID Code

(Company/Bidder Name)

(Signature and Title)

Date _____